

229H SERIES

GENERAL INDUSTRIAL LIGHTING

DATE: _____ PROJECT MGR: _____

JOB: _____

PN: _____



APPLICATIONS

Paint Booths
(Outside behind glass panel)
General Industrial
Task Lighting

Fabricated from pre-painted cold rolled steel, the Series 229H is ideal for a variety of industrial lighting needs. A unique hinged ballast cover provides easy access to internal wiring and ballast for installation or service without the need to remove lamps. The Series 229H uses a 5 Ft. 3-wire whip which reduces installation time by not having to open the fixture. Available in T12, T8, T8HO, or T5HO lamps. Lamps not included.

SPECIFICATIONS

LISTINGS: UL 1598 listed U.S. and Canada




FEATURES: Heavy duty open industrial fixture.
Hinged ballast plate allows for the fixture to be lamped prior to installation.
Sturdy 20 gauge steel with durable pre-painted white enamel finish.

ELECTRICAL: Utilizes 32, 40, 44, and 54 watt 4 Ft. lamps.
Available in universal, 120, 277 and 347 volt electronic ballasts.
(Other voltages available, consult factory)

OPTIONS: ALL OPTIONS ORDERED SEPARATELY
A: Pattern 12 acrylic diffuser available in 32W T8 only.
WG: Zinc plated wire guard (factory installed)
PC: Post painted polyester white powder coat paint
EM: Emergency battery backup ballast
120 or 277V - MUST SPECIFY
2 or 3 Lamp options.
(lamps sold separately)

• MOUNTING KITS - ordered separately - see next page
Chain hanging kit - #3218

GENERAL INDUSTRIAL LIGHTING



WG: Zinc plated wire guard option



229H SERIES

GENERAL INDUSTRIAL LIGHTING



www.ldpi-inc.com


| 229H SERIES | LAMP TYPE | LAMP QTY | VOLTAGE | OPTIONS |
|-------------|--|--|--|--|
| | T5HO: 54W T8: 32W* T8HO: 44W T12: 40W | 4L: 4 lamp 3L: 3 lamp 2L: 2 lamp | 120-277: 120-277 Volt (T5HO, T8 & T12 ONLY) 120: 120 Volt 277: 277 Volt 347-480: 347-480 Volt (T5HO ONLY) | WG: Zinc plated wire guard** A: Pattern 12 acrylic diffuser*** EM: Emergency battery back up ballast PC: Powder coat paint - white |

LAMPS SOLD SEPARATELY
(Multiple voltages available, consult factory)
*Normally stocked fixture
(Consult factory for lead time on non-stock products.)

**Must be installed at the factory
***Diffuser is only available in 32W T8




DIMENSIONS (Nominal)



MOUNTING - ORDERED SEPARATELY

PN: 3218 Chain hang kit



MOUNTING


FOR LDPI, INC. FIXTURES



www.ldpi-inc.com

229H Series

DIMENSIONS (Nominal)



MOUNTING - ORDERED SEPARATELY

Part Number: 3218 Chain Hang Kit

