

QUANTITIES SUBJECT TO CHANGE - CONTACT LDPI FOR AVAILABILITY
Explosion Proof CID1

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
			LEXS-L1-V1-4-V110-D	40W / 3520Lm	4,000K	22
			LEXS-L1-V1-4-V110-C	40W / 4480Lm	4,000K	1
		Accessories	PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"			10
			PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"			22
	LEXSG2 Next Generation Explosion Proof	Explosion Proof CI,D1 / CI,D2 Paint Spray Listed	LEXSG2-L4-V1-5-V110-D-PB	80W / 8690Lm	5000K	68
			LEXSG2-L4-V1-5-V110-C-PB	80W / 11200Lm	5000K	8
			LEXSG2-L4-V1-4-V110-D-PB	80W / 8690Lm	4000K	80
			LEXSG2-L4-V1-4-V110-c-PB	80W / 11200Lm	4000K	8

Explosion Proof CID1

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
	LEXF1	Explosion Proof CI,D1 / CI,D2 CII,D2 / CIII, Paint/Spray Listed	LEXF1-L1-V1-5-T5-C	21W / 4220Lm	5,000K	10
			LEXF1-L2-V1-5-T5-D	40W / 5200Lm	5,000K	12
			LEXF1-L2-V1-5-T5-C	40W / 6500Lm	5,000K	18
			LEXF1-L4-V1-5-T2-C	60W / 7600Lm	5,000K	20
			LEXF1-L4-V1-5-T5-D	60W / 7130Lm	5,000K	22
			LEXF1-L4-V1-5-T5-C	60W / 8510Lm	5,000K	34
		Accessories	PB02-BK Yoke Mount			63
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
	LEXF	Explosion Proof CI,D1 / CI,D2 CII,D2 / CIII	LEXF-L1-V1-3-V120-C	80W / 9720Lm	3,000K	2
			LEXF-L2-V1-4-V120-C	100W / 11760Lm	4,000K	13
		Accessories	SN01-BK slip fitter			46
			SN01 slip fitter			3
			WG01 Wire Guard			24
	LEXFG2 Next Generation Explosion Proof		LEXFG2-L1-V1-4-V120-C-PB	80W / 8690Lm	4000K	18
			LEXFG2-L3-V1-5-V120-C-PB	120W / 8690Lm	5000K	14



	LEXFG2 Next Generation Explosion Proof	CI,D1, CI,D2 Paint Spray Listed	LEXFG2-L4-V1-5-V120-C-PB	150W / 21,230Lm	5000K	11
		Accessories	SN01-BK slip fitter			46
			SN01 slip fitter			Currently out of stock
			WG01 Wire Guard			24
			PH01 Pendant Hook Mount			16
HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
	LEHL1 Hazardous Location	Hazardous CI,D2, CII,D1&2, CIII	LEHL1-L1-V1-4-V110-C-U	45W / 6375Lm	4,000K	6
			LEHL1-L2-V1-5-V110-C-U	65W /10150Lm	5,000K	1
			LEHL1-L2-V1-5-V110-D-P	65W / 8650Lm	5,000K	1
		Accessories	SN9002 Stanchion-90° / 1-1/2			1
			SN2501 Stanchion - 25° 1 - 1/4			3
			WG03 SS Wire guard-globe lens			2
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
	Hazardous CI,D2, CII,D1&2, CIII	LEHL1G2-L3-V1-5-V120-C-PG	45W / 6750Lm	5,000K	16	
		LEHL1G2-L3-V1-4-V120-DL-PG	45W / 6060Lm	4,000K	12	
		LEHL1G2-L6-V1-5-V120-C-PG	65W / 10760Lm	5,000K	36	
	Accessories	WL90-M Wall-90°			8	
		SN2503 Stanchion-25° / 1-1/2			35	
		SN2504 Stanchion-25° / 1-1/2			18	
		SN9003 Stanchion - 90° 1 - 1/4			29	
		SN9004 Stanchion-90° / 1-1/2			13	
		UB01 U Bracket			Currently out of stock	
		SN01 Slipfitter mount bracket			3	
		WG02 SS Wire guard-flat lens			10	
		WG06 SS Wire guard-diffused drop lens			8	
		PH01 Pendant Hook Mount			16	
		PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"			10	
		PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"			22	

**HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII**

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
	LEHL2	Hazardous CI,D2 CII,D1&2 CIII	LEHL2-L1-V1-5-T5-C-P	80W / 12630Lm	5,000K	22
			LEHL2-L1-V1-5-T5-DP-P	80W / 8830Lm	5,000K	4
			LEHL2-L1-V1-5-T5-DL-P	80W / 12290Lm	5,000K	12
			LEHL2-L1-V1-4-T5-DL-P	80W / 12290Lm	4,000K	2
			LEHL2-L2-V1-5-T5-C-P	120W / 19230Lm	5,000K	30
			LEHL2-L2-V1-5-T5-DP-P	120W / 13250Lm	5,000K	10
			LEHL2-L3-V1-5-T5-C-P	150W / 23630Lm	5,000K	23
			LEHL2-L3-V1-5-T5-DL-P	150W / 20950Lm	5,000K	10
			LEHL2-L4-V1-5-T5-C-P	200W / 28940Lm	5,000k	18
			LEHL2-L4-V1-5-T5-DL-P	200W / 27795Lm	5,000k	17
			LEHL2-L4-V1-4-T5-C-P	200W / 28940Lm	4,000k	16
		Accessories	SN9003 Stanchion-90° / 1-1/4			29
			SN9004 Stanchion-90° / 1-1/2			13
			SN2503 Stanchion - 25° 1 - 1/4			35
			SN2504 Stanchion-25° / 1-1/2			18
			WG07 SS Wire guard-flat lens			34
			WG08 SS Wire guard-globe lens			9
			SN01 Slipfitter mount bracket			3
			WL90-M Wall-90°			8
			PB03 U Bracket 304 Stainless Steel			37


HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
	LEHS	Hazardous CI,D2	LEHS-L1-V1-3-V110-D	40W/6180Lm	3,000k	9
		CII,D1&2 CIII	LEHS-L2-V1-5-V110-C-EM	80W / 11490Lm	5,000K	2
		Accessories	HK04 Eyebolt Hanging Kit			35
	LEHSG2 Next Generation Hazardous	Hazardous CID2, CIID1 & CIID2	LEHSG2-L2-V1-5-V110-C-PG	40W / 5790Lm	5000K	5
			LEHSG2-L2-V1-4-V110-D-PG	40W / 4860Lm	4000K	12
			LEHSG2-L3-V1-5-V110-C-PG	60W / 9,180Lm	5000K	12
			LEHSG2-L4-V1-4-V110-D-PG	80W / 10,130Lm	4000K	8
			LEHSG2-L4-V1-5-V110-C-PG	80W / 12,030Lm	5000K	2
			LEHSG2-L4-V1-5-V110-D-PG	80W / 10,780Lm	5000K	12

ORDINARY LOCATION LED BOOTH FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
	LE180	Ordinary Location	LE180-L2-V1-5-D	75W /9220Lm	5,000K	6

RECESS MOUNT C1D2 LED PAINT AND POWDER BOOTH FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
	LE484	Hazardous CI,D2 / CII,D2 Paint Booth listed	LE484-L1-V1-5-D	75W /8270 Lm	5,000K	382
			LE484-L1-V1-5-T	75W /9070 Lm	5,000K	12
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
	LE485E (inside access)	Hazardous CI,D2 / CII,D2 Paint Booth listed	LE485E-62-W1-V1-A-5-WH-H	62W/6330	5,000K	24
			LE485E-62-W2-V1-A-5-WH-H	62W/6330	5,000K	39

FLUORESCENT PAINT AND POWDER BOOTH FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
	229H	Ordinary	229H-T8-4L-120-277	32W / T8		37
			229H-T8-4L-120-277-NW	32W / T8		33
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 8.24.2025
	SLIM LIGHT (Inside Access)	Hazardous CI,D2 / CII,D2 Paint Booth listed	390440-3546	32W / T8		29
	400 Series (Rear Access)		390231-3546	17W / T8		8
			390441-3546	32W / T8		11
	380 Series	Explosion Proof CI D1& DII / CII D1&2 Paint Booth listed	380-T5HO-2L-4-UNV-EM-HB	54w/T5HO		1
			380-T8-4L-4-UNV	32w/T8		4



Lens Film Paint Booth Light Protection						
 				Part Number	Dimensions	On Hand 8.24.2025
				3263	12"x100'	14
				3188	18"x100'	37
				4348	25"x100'	4
				3312 Dispensor handle for 12 or 18" roll only		2
*Quick ship items ship approximately 24-48 hours after receipt of an order						
**Standard Payment and Freight Terms apply for all						