








**QUANTITIES SUBJECT TO CHANGE - CONTACT LDPI FOR AVAILABILITY**


<b>Explosion Proof CID1</b>							
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 10.23.2025	
			LEXS-L1-V1-4-V110-D	40W / 3520Lm	4,000K	15	
			LEXS-L1-V1-4-V110-C	40W / 4480Lm	4,000K	1	
		Accessories	PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"				10
			PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"				22
	<b>LEXSG2 Next Generation Explosion Proof</b>	Explosion Proof CI,D1 / CI,D2 Paint Spray Listed	LEXSG2-L4-V1-5-V110-D-PB	80W / 8690Lm	5000K	50	
			LEXSG2-L4-V1-5-V110-C-PB	80W / 11200Lm	5000K	10	
			LEXSG2-L4-V1-4-V110-D-PB	80W / 8690Lm	4000K	61	
			LEXSG2-L4-V1-4-V110-c-PB	80W / 11200Lm	4000K	5	

<b>Explosion Proof CID1</b>							
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 10.23.2025	
	LEXF1	Explosion Proof CI,D1 / CI,D2 CII,D2 / CIII, Paint/Spray Listed	LEXF1-L1-V1-5-T5-C	21W / 4220Lm	5,000K	10	
			LEXF1-L2-V1-5-T5-D	40W / 5200Lm	5,000K	12	
			LEXF1-L2-V1-5-T5-C	40W / 6500Lm	5,000K	18	
			LEXF1-L4-V1-5-T2-C	60W / 7600Lm	5,000K	20	
			LEXF1-L4-V1-5-T5-D	60W / 7130Lm	5,000K	13	
			LEXF1-L4-V1-5-T5-C	60W / 8510Lm	5,000K	13	
		Accessories	PB02-BK Yoke Mount				73
	LEXF	Explosion Proof CI,D1 / CI,D2 CII,D2 / CIII	LEXF-L1-V1-3-V120-C	80W / 9720Lm	3,000K	2	
			LEXF-L2-V1-4-V120-C	100W / 11760Lm	4,000K	8	
		Accessories	SN01-BK slip fitter				42
			SN01 slip fitter				8
			WG01 Wire Guard				23
		<b>LEXFG2 Next Generation</b>	CI,D1, CI,D2 Paint Spray Listed	LEXFG2-L1-V1-4-V120-1-C-PB	80W / 8690Lm	4000K	18
LEXFG2-L3-V1-5-V120-1-C-PB	120W / 8690Lm			5000K	29		











	LEXFG2 Next Generation Explosion Proof	Accessories	LEXFG2-L4-V1-5-V120-1-C-PB	150W / 21,230Lm	5000K	14
			SN01-BK slip fitter			42
			SN01 slip fitter			8
			WG01 Wire Guard			23
			PH01 Pendant Hook Mount			16
<b>HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII</b>						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 10.23.2025
	LEHL1 Hazardous Location	Hazardous CI,D2, CII,D1&2, CIII	LEHL1-L1-V1-4-V110-C-U	45W / 6375Lm	4,000K	6
			LEHL1-L2-V1-5-V110-C-U	65W /10150Lm	5,000K	1
			LEHL1-L2-V1-5-V110-D-P	65W / 8650Lm	5,000K	1
	Accessories		SN9002 Stanchion-90° / 1-1/2			1
SN2501 Stanchion - 25° 1 - 1/4					3	
		WG03 SS Wire guard-globe lens			2	
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 10.23.2025
	LEHL1G2 Next Generation Hazardous Location	Hazardous CI,D2, CII,D1&2, CIII	LEHL1G2-L3-V1-5-V120-C-PG	45W / 6750Lm	5,000K	23
			LEHL1G2-L3-V1-4-V120-DL-PG	45W / 6060Lm	4,000K	11
			LEHL1G2-L6-V1-5-V120-C-PG	65W / 10760Lm	5,000K	28
	Accessories		WL90-M Wall-90°			28
			SN2503 Stanchion-25° / 1-1/2			35
			SN2504 Stanchion-25° / 1-1/2			24
			SN9003 Stanchion - 90° 1 - 1/4			27
			SN9004 Stanchion-90° / 1-1/2			7
			UB01 U Bracket			Currently out of stock
			SN01 Slipfitter mount bracket			8
			WG02 SS Wire guard-flat lens			Currently out of stock
			WG06 SS Wire guard-diffused drop lens			8
			PH01 Pendant Hook Mount			16
			PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"			10
PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"					22	

**HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII**



	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 10.23.2025
	LEHL2	Hazardous CI,D2 CII,D1&2 CIII	LEHL2-L1-V1-5-T5-C-P	80W / 12630Lm	5,000K	32
LEHL2-L1-V1-5-T5-DP-P			80W / 8830Lm	5,000K	4	
LEHL2-L1-V1-5-T5-DL-P			80W / 12290Lm	5,000K	12	
LEHL2-L2-V1-5-T5-C-P			120W / 19230Lm	5,000K	6	
LEHL2-L2-V1-5-T5-DP-P			120W / 13250Lm	5,000K	10	
LEHL2-L3-V1-5-T5-C-P			150W / 23630Lm	5,000K	20	
LEHL2-L3-V1-5-T5-DL-P			150W / 20950Lm	5,000K	10	
LEHL2-L4-V1-5-T5-C-P			200W / 28940Lm	5,000k	18	
LEHL2-L4-V1-5-T5-DL-P			200W / 27795Lm	5,000k	17	
LEHL2-L4-V1-4-T5-C-P			200W / 28940Lm	4,000k	16	
Accessories		SN9003 Stanchion-90° / 1-1/4				27
		SN9004 Stanchion-90° / 1-1/2				7
		SN2503 Stanchion - 25° 1 - 1/4				35
		SN2504 Stanchion-25° / 1-1/2				24
		WG07 SS Wire guard-flat lens				34
		WG08 SS Wire guard-globe lens				9
		SN01 Slipfitter mount bracket				8
		WL90-M Wall-90°				28
		PB03 U Bracket 304 Stainless Steel				49

**HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII**

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 10.23.2025
	LEHS	Hazardous CI,D2 CII,D1&2 CIII	LEHS-L1-V1-3-V110-D	40W/6180Lm	3,000k	9
LEHS-L2-V1-5-V110-C-EM			80W / 11490Lm	5,000K	2	
Accessories		HK04 Eyebolt Hanging Kit				13
	LEHSG2 Next Generation Hazardous	Hazardous CID2, CIID1 & CIID2	LEHSG2-L2-V1-5-V110-C-PG	40W / 5790Lm	5000K	26
			LEHSG2-L2-V1-4-V110-D-PG	40W / 4860Lm	4000K	3
			LEHSG2-L3-V1-5-V110-C-PG	60W / 9,180Lm	5000K	2
			LEHSG2-L4-V1-4-V110-D-PG	80W / 10,130Lm	4000K	4
			LEHSG2-L4-V1-5-V110-C-PG	80W / 12,030Lm	5000K	20
			LEHSG2-L4-V1-5-V110-D-PG	80W / 10,780Lm	5000K	Currently out of stock

ORDINARY LOCATION LED BOOTH FIXTURES						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 10.23.2025
	LE180	Ordinary Location	LE180-L2-V1-5-D	75W /9220Lm	5,000K	15
RECESS MOUNT C1D2 LED PAINT AND POWDER BOOTH FIXTURES						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 10.23.2025
	LE484	Hazardous CI,D2 / CII,D2 Paint Booth listed	LE484-L1-V1-5-D	75W /8270 Lm	5,000K	286
			LE484-L1-V1-5-T	75W /9070 Lm	5,000K	12
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 10.23.2025
	LE485E (inside access)	Hazardous CI,D2 / CII,D2 Paint Booth listed	LE485E-62-W1-V1-A-5-WH-H	62W/6330	5,000K	9
			LE485E-62-W2-V1-A-5-WH-H	62W/6330	5,000K	23
FLUORESCENT PAINT AND POWDER BOOTH FIXTURES						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 10.23.2025
	229H	Ordinary	229H-T8-4L-120-277	32W / T8		34
			229H-T8-4L-120-277-NW	32W / T8		37
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 10.23.2025
	400 Series (Rear Access)	Hazardous CI,D2 / CII,D2 Paint Booth listed	SLIM LIGHT (Inside Access)	390440-3546	32W / T8	10
			390231-3546	17W / T8	12	
			390441-3546	32W / T8	7	
	380 Series	Explosion Proof CI D1& DII / CII D1&2 Paint Booth listed	380-T5HO-2L-4-UNV-EM-HB	54w/T5HO		1
			380-T8-4L-4-UNV	32w/T8		4



Lens Film Paint Booth Light Protection				Part Number	Dimensions	On Hand 10.23.2025
 				3263	12"x100'	1
				3188	18"x100'	46
				4348	25"x100'	5
				3312 Dispensor handle for 12 or 18" roll only		3
*Quick ship items ship approximately 24-48 hours after receipt of an order						
**Standard Payment and Freight Terms apply for all						