

QUANTITIES SUBJECT TO CHANGE - CONTACT LDPI FOR AVAILABILITY
Explosion Proof

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.22.20
	LE551	Explosion Proof CI, D1&2	LE551-L3-V1-5-D-E-PB	43W / 5066Lm	5,000K	3
		CII, D1&2	LE551-L3-V1-5-D-E-PB-EM	43W / 5066Lm	5,000K	6
		CIII	LE551-L4-V1-5-E-PB-P-WG	64W / 7164Lm	5,000k	6
		Paint Spray	LE551-L6-V1-4-E-PB	86W / 9873Lm	4,000K	6

Explosion Proof

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.22.20
	LEXS	Explosion Proof CI, D1 / CI, D2 Paint Spray Listed	LEXS-L1-V1-5-V110-D	40W / 3800Lm	5,000K	51
			LEXS-L1-V1-4-V110-D	40W / 3800Lm	4,000K	70
			LEXS-L1-V1-4-V110-C	40W / 5040Lm	4,000K	55
			LEXS-L2-V1-5-V110-D	80W / 7750Lm	5,000K	53
			LEXS-L2-V1-4-V110-D	80W / 7750Lm	4,000K	59

Explosion Proof

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.22.20
	LEXF	Explosion Proof CI,D1 / CI,D2 CII,D2 / CIII	LEXF-L1-V1-4-V120-C	80W / 9720Lm	4,000K	25
			LEXF-L1-V1-5-V120-C	80W / 10290Lm	5,000K	12
			LEXF-L2-V1-4-V120-C	100W / 11760Lm	4,000K	34
			LEXF-L2-V1-5-V120-C	100W / 12280Lm	5,000K	24
			LEXF-L3-V1-4-V120-C	150W / 18360Lm	4,000K	28
			LEXF-L3-V1-5-V120-C	150W / 18650Lm	5,000K	36
	Accessories	SN01 slip fitter			45	
		WG01 Wire Guard			37	

HAZARDOUS CLASSIFICATION CID2, CII D2

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.22.20
	LEHL	Class I Div 2	LEHL-80-U-50-120-PSC	80W / 8400Lm	5,000K	6
			LEHL-110-U-50-120-PSC	110W / 11550Lm	5,000K	10
			LEHL-170-U-50-120-PSC	170W / 17000Lm	5,000K	9
			HLS22 Stanchion-25° / 1-1/2			24
			HLS24 Stanchion-25° / 1-1/4			17
			HLS92 Stanchion-90° / 1-1/2			10
			HLS94 Stanchion-90° / 1-1/4			18
			HLSW Yoke			22
			HLW4 Wall-40°			6
			HLW9 Wall-90°			25

HAZARDOUS CLASSIFICATION CID2, CII D1 and D2



	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.22.20
	H-LED	Hazardous CI,D2 CII,D1&2 CIII	DL005EUN0-R5-C2EU	37 w/ 5600 lumen	5,000K	10

HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.22.20
	LEHL1	Hazardous CI,D2 CII,D1&2 CIII	LEHL1-L1-V1-5-V110-D-P	45W / 5750Lm	5,000K	9
			LEHL1-L1-V1-5-V110-C-P	45W / 6750Lm	5,000K	56
			LEHL1-L1-V1-4-V110-C-P	45W / 6375Lm	4,000K	64
			LEHL1-L1-V1-5-V110-C-U	45W / 6750Lm	5,000K	temporarily sold out
			LEHL1-L1-V1-4-V110-D-P	45W / 5380Lm	4,000K	4
			LEHL1-L1-V1-5-V110-D-U	45W / 5750Lm	5,000K	1
			LEHL1-L2-V1-5-V110-C-P	65W / 10150Lm	5,000K	59
			LEHL1-L2-V1-5-V110-D-P	65W / 8650Lm	5,000K	31
			LEHL1-L2-V1-4-V110-C-P	65W / 9675Lm	4,000K	4
			LEHL1-L2-V1-5-V110-C-U	65W / 10150Lm	5,000k	26
			LEHL1-L2-V1-4-V110-C-U	65W / 9675Lm	4,000k	2
			LEHL1-L2-V1-4-V110-D-U	65W / 8260Lm	4,000k	sold out
			LEHL1-L2-V1-4-V110-D-P	65W / 8260Lm	4,000k	8
			LEHL1-L2-V1-5-V110-D-U	65W / 8650Lm	5,000k	3
		Accessories (Required for Universal Mount)	SN9001 Stanchion-90° / 1-1/4			19
			SN9002 Stanchion-90° / 1-1/2			6
			SN2501 Stanchion - 25° 1 - 1/4			23
			SN2502 Stanchion-25° / 1-1/2			28
			WG02 SS Wire guard-flat lens			32
			WL25 Wall-25°			23
			WL90 Wall-90°			24
			JB01 Ceiling / Junction Box			4

HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.22.20
	LEHS	Hazardous CI,D2 CII,D1&2 CIII	LEHS-L1-V1-5-V110-C	40W / 6180Lm	5,000K	64
			LEHS-L1-V1-5-V110-D	40W / 5270Lm	5,000k	20 (CID2 Only)
			LEHS-L1-V1-4-V110-D	40W / 5270Lm	4,000k	9
			LEHS-L2-V1-5-V110-D	80W / 9930Lm	5,000K	54
			LEHS-L2-V1-4-V110-C	80W / 11490Lm	4,000K	16
			LEHS-L2-V1-5-V110-C	80W / 11490Lm	5,000K	40
	Accessories		EB01 Cable Hang Kit			36
			PC01 Stanchion Kit			27

WET DAMP JELLY JAR FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.22.20
	LEVP	Wet/Damp	LEVP-14-U-53-G1-C		5,300K	sold out
			LEVP-14-U-53-G1-P		5,300K	2
			LEVP-14-U-53-G1-W		5,300K	91
			LEVP-14-U-53-G2-C		5,300K	sold out
			LEVP-14-U-53-G2-W		5,300K	78
			LEVP-14-U-53-L1-P		5,300K	5
			LEVP-14-U-53-L1-W		5,300K	52
			LEVP-14-U-53-L1-C		5,300K	57
			LEVP-14-U-53-L2-C		5,300K	64
			LEVP-14-U-53-L2-W		5,300K	40

RECESS MOUNT LED PAINT AND POWDER BOOTH FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.22.20
	LE484	Hazardous CI,D2 CII,D1&2 Spray Booth Listed	LE484-L1-V1-5-D	75W / 8270Lm	5,000K	288
			LE484-L1-V1-5-T	75W / 9070Lm	5,000K	308

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.22.20
	SLIM LIGHT LED	Hazardous CI,D2 / CII,D2 Paint Booth	390440-LEDS5	70W / 6150	5,000K	40
	400LED	Hazardous CI,D2 / CII,D2 Paint Booth	390441-LEDS5	70W / 6150	5,000K	42

FLUORESCENT PAINT AND POWDER BOOTH FIXTURES

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.22.20
	229H	Ordinary	229H-T8-4L-120-277	32W / T8		145
			229H-T8-4L-120-277-NW			100

	260 / 261	Hazardous CI,D2 / CII,D2 Paint Booth listed	390260MC-3546			11
			390261MC-3546			4

HAZARDOUS CLASSIFICATION CID2, CII D1 and D2

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 6.12.20
	240	Hazardous CI,D2 CII,D1&2 CIII	240-T8-4L-UNV1-TS	T8 4 lamp		11