

QUANTITIES SUBJECT TO CHANGE - CONTACT LDPI FOR AVAILABILITY

Explosion Proof CID1

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026		
	LEXSG2 Next Generation Explosion Proof	LEXS	CID1, CID2, Paint/Spray Listed	LEXS-L1-V1-4-V110-D	40W / 3520Lm	4000K	14	
LEXS-L1-V1-4-V110-C				40W / 4480Lm	4000K	1		
LEXSG2-L1-V1-4-V110-D-PB		30W/3540Lm		4000k	12			
LEXSG2-L2-V1-5-V110-D-PB		40W/4540Lm		5000k	10			
LEXSG2-L2-V1-4-V110-D-PB		40W/4540Lm		4000K	22			
LEXSG2-L3-V1-4-V110-D-PB		60W/7710Lm		4000k	50			
LEXSG2-L3-V1-5-V110-D-PB		60W/7110Lm		5000k	24			
LEXSG2-L3-V1-5-V110-C-PB		60W/8870Lm		5000k	24			
LEXSG2-L4-V1-5-V110-D-PB		80W/ 8690Lm		5000K	30			
LEXSG2-L4-V1-5-V110-C-PB		80W/ 11200Lm		5000K	10			
LEXSG2-L4-V1-4-V110-D-PB		80W / 8690Lm		4000K	38			
LEXSG2-L4-V1-4-V110-c-PB		80W /11200Lm		4000K	Currently out of stock			
Accessories		PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"						10
		PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"						14

Explosion Proof CID1

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	LEXF1	Explosion Proof CID1 / CID2 CIID2 / CIII, Paint/Spray Listed	LEXF1-L1-V1-5-T5-C	21W / 4220Lm	5000K	10
LEXF1-L2-V1-5-T5-D			40W / 5200Lm	5000K	12	
LEXF1-L2-V1-5-T5-C			40W / 6500Lm	5000K	17	
LEXF1-L4-V1-5-T2-C			60W / 7600Lm	5000K	0	
LEXF1-L4-V1-5-T5-D			60W / 7130Lm	5000K	20	
LEXF1-L4-V1-5-T5-C			60W / 8510Lm	5000K	28	
Accessories	PB02-BK Yoke Mount					58

Explosion Proof CID1

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	LEXFG2 Next Generation Explosion Proof	LEXF	Explosion Proof CID1 / CID2 CIID2 / CIII, Paint/Spray Listed	LEXF-L1-V1-3-V120-C	80W / 9720Lm	3000K
LEXF-L2-V1-4-V120-C				100W / 11760Lm	4000K	8
LEXFG2-L1-V1-5-V120-1-C-PB		80W/ 12320Lm		5000K	27	
LEXFG2-L1-V1-4-V120-1-C-PB		80W/ 12320Lm		4000K	2	
LEXFG2-L2-V1-4-V120-1-C-PB		100W/14160Lm		4000k	24	
LEXFG2-L3-V1-5-V120-1-C-PB		120W /17680Lm		5000K	Currently out of stock	
LEXFG2-L4-V1-5-V120-1-C-PB		150W / 21230Lm		5000K	32	
Accessories		SN01-BK slip fitter				
	SN01 slip fitter					32
	WG01 Wire Guard					83
	PH01 Pendant Hook Mount					16

NEW CID2 Jelly Jars						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	LEHC	CID2, IP66	LEHC-L2-V1-4-V120-GSF-MW	20w/ 2000Lm	4000K	50
			LEHC-L2-V1-4-V120-GSF-MP	20w/ 2000Lm	4000K	24
			LEHC-L2-V1-4-V120-GSF-MC	20w/ 2000Lm	4000K	25
			LEHC-L2-V1-4-V120-GSF-MR	20w/ 2000Lm	4000K	23
NEW CID2 Occupancy Sensor						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	LXC-OOC-D2	CID2 IP66 Programmable Occupancy Sensor	LCX-OCC-D2			10
HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	LEHL1G2 Next Generation Hazardous Location	Hazardous CID2, CII D1&2, CIII	LEHL1G2-L3-V1-5-V120-C-PG	45W / 6750Lm	5000K	44
			LEHL1G2-L3-V1-4-V120-DL-PG	45W / 6060Lm	4000K	9
			LEHL1G2-L4-V1-5-V120-C-PG	45W / 6060Lm	5000K	10
			LEHL1G2-L4-V1-4-V120-C-PG	55W/8790Lm	4000K	12
			LEHL1G2-L6-V1-5-V120-C-PG	65W / 10760Lm	5000K	33
			LEHL1G2-L6-V1-4-V120-C-PG	65W / 10760Lm	4000K	14
	LEHL1G2 Next Generation Hazardous Location	Accessories	WL90-M Wall-90°			19
			SN2503 Stanchion-25° / 1-1/2			35
			SN2504 Stanchion-25° / 1-1/2			32
			SN9003 Stanchion - 90° 1 - 1/4			27
			SN9004 Stanchion-90° / 1-1/2			10
			UB01 U Bracket			56
			SN01 Slipfitter mount bracket			32
			WG02 SS Wire guard-flat lens			8
			WG06 SS Wire guard-diffused drop lens			8
			PH01 Pendant Hook Mount			16
PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"					10	
PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"			14			

HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	LEHL2	Hazardous CID2 CIID1&2 CIII	LEHL2-L1-V1-5-T5-C-P	80W / 12630Lm	5000K	35
			LEHL2-L1-V1-4-T5-D-P	80W / 8830Lm	4000K	Currently out of stock
			LEHL2-L1-V1-5-T5-DP-P	80W / 8830Lm	5000K	4
			LEHL2-L1-V1-5-T5-DL-P	80W / 12290Lm	5000K	12
			LEHL2-L2-V1-5-T5-C-P	120W / 19230Lm	5000K	49
			LEHL2-L3-V1-5-T5-C-P	150W / 23630Lm	5000K	7
			LEHL2-L3-V1-5-T5-DL-P	150W / 20950Lm	5000K	10
			LEHL2-L4-V1-5-T5-C-P	200W / 28940Lm	5000K	21
			LEHL2-L4-V1-5-T5-DL-P	200W / 27795Lm	5000K	16
			LEHL2-L4-V1-4-T5-C-P	200W / 28940Lm	4000K	14
	Accessories	SN9003 Stanchion-90° / 1-1/4				27
		SN9004 Stanchion-90° / 1-1/2				7
		SN2503 Stanchion - 25° 1 - 1/4				35
SN2504 Stanchion-25° / 1-1/2					32	
WG07 SS Wire guard-flat lens					54	
WG08 SS Wire guard-globe lens					6	
SN01 Slipfitter mount bracket					32	
WL90-M Wall-90°					19	
PB03 U Bracket 304 Stainless Steel				32		

HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	LEHS	Hazardous, CID2 CIID1&2 CIII	LEHS-L1-V1-3-V110-D	40W/6180Lm	3000K	9
Accessories			HK04 Eyebolt Hanging Kit			17
	LEHSG2 Next Generation Hazardous	Hazardous CID2, CIID1 & CIID2	LEHSG2-L2-V1-5-V110-C-PG	40W / 5790Lm	5000K	14
			LEHSG2-L2-V1-4-V110-D-PG	40W / 4860Lm	4000K	1
			LEHSG2-L3-V1-5-V110-C-PG	60W / 9180Lm	5000K	Currently out of stock
			LEHSG2-L3-V1-4-V110-D-PG	60W / 7760Lm	4000K	12
			LEHSG2-L4-V1-4-V110-D-PG	80W / 10130Lm	4000K	11
			LEHSG2-L4-V1-5-V110-C-PG	80W / 12030Lm	5000K	35
			LEHSG2-L4-V1-5-V110-D-PG	80W / 10780Lm	5000K	5

ORDINARY LOCATION LED BOOTH FIXTURES						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	LE180	Ordinary Location	LE180-L2-V1-5-D	75W /9220Lm	5000K	9
RECESS MOUNT C1D2 LED PAINT AND POWDER BOOTH FIXTURES						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	LE484	Hazardous CID2 / CIID2 Paint/Spray listed	LE484-L1-V1-5-D	75W /8270 Lm	5000K	282
			LE484-L1-V1-5-T	75W /9070 Lm	5000K	12
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	LE485E (inside access)	Hazardous CID2 / CIID2 Paint/Spray listed	LE485E-62-W1-V1-A-5-WH-H	62W/6330	5000K	22
			LE485E-62-W2-V1-A-5-WH-H	62W/6330	5000K	32
FLUORESCENT PAINT AND POWDER BOOTH FIXTURES						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	229H	Ordinary	229H-T8-4L-120-277	32W / T8		35
			229H-T8-4L-120-277-NW	32W / T8		26
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 3.6.2026
	SLIM LIGHT (Inside Access)	Hazardous CID2 / CIID2 Paint/Spray listed	390440-3546	32W / T8		71
			390231-3546	17W / T8		12
	400 Series (Rear Access)	Hazardous CID2 / CIID2 Paint/Spray listed	390441-3546	32W / T8		3
			380-T5HO-2L-4-UNV-EM-HB	54w/T5HO		1
	380 Series	Explosion Proof CID1& DII / CIID1&2 Paint/Spray listed	380-T8-4L-4-UNV	32w/T8		4



Lens Film Paint Booth Light Protection				Part Number	Dimensions	On Hand 3.6.2026
 			3263	12"x100'	7	
			3188	18"x100'	28	
			4348	25"x100'	3	
			3312 Dispensor handle for 12 or 18" roll only		3	
<p>*Quick ship items ship approximately 24-48 hours after receipt of an order</p> <p>**Standard Payment and Freight Terms apply for all</p>						